

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY**

**Product Identifier**

**Product Form:** Mixture  
**Product Name:** Wash It  
**Product Code:** AFCO 2548

**Intended Use of the Product**

**Use of the Substance/Mixture:** An alkaline peroxide-based all-purpose C.I.P. cleaner and destainer for food processing equipment. For professional use only.

**Name, Address, and Telephone of the Responsible Party**

**Company**

AFCO  
 800 Development Avenue  
 Chambersburg, PA 17201  
 T: 800-345-1329  
[www.afcocare.com](http://www.afcocare.com)

**Emergency Telephone Number**

**Emergency Number** : 1-800-424-9300 (CHEMTREC)


**SECTION 2: HAZARDS IDENTIFICATION**

**Classification of the Substance or Mixture**

Ox. Sol. 2 H272  
 Acute Tox. 4 (Oral) H302  
 Skin Corr 1B H314  
 Eye Dam. 1 H318

**Label Elements**

**Hazard Pictograms**



**Signal Word**

: Danger

**Hazard Statements**

: H272 - May intensify fire; oxidizer  
 H302 - Harmful if swallowed  
 H314 - Causes severe skin burns and eye damage  
 H318 - Causes serious eye damage

**Precautionary Statement**

: P210 - Keep away from heat, sparks, open flames, hot surfaces, combustible materials. - No smoking.  
 P220 - Keep/Store away from combustible materials, organic materials, incompatible materials.  
 P221 - Take any precaution to avoid mixing with combustibles, organic materials, incompatible materials.  
 P260 - Do not breathe dust if inhalable particles of dust occur during use.  
 P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P273 - Avoid release to the environment.  
 P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
 P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
 P301+P330+P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.  
 P303+P361+P353 - IF ON SKIN: Remove/take off immediately all contaminated clothing. Rinse skin with water.  
 P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position for breathing.  
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

# Wash It (AFCO 2548)

## Safety Data Sheet

contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P321 - Specific treatment (see section 4).  
P330 - Rinse mouth.  
P363 - Wash contaminated clothing before reuse.  
P370+P378 - In case of fire: Use appropriate media for extinction.  
P405 - Store locked up.  
P501 - Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulations.

### Other Hazards

**Other Hazards Not Contributing to the Classification:** Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Substances:** Not applicable, product is a mixture.

### Mixture:

Name	Product identifier	% (w/w)	Classification (GHS-US)
Sodium percarbonate	(CAS No) 15630-89-4	30-40	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium metasilicate	(CAS No) 6834-92-0	30-40	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Sodium carbonate	(CAS No) 497-19-8	10-20	Eye Irrit. 2A, H319
Pentasodium triphosphate	(CAS No) 7758-29-4	10-20	Not classified
Alcohols, C8-10, ethers with polyethylenepolypropylene glycol monobenzyl ether	(CAS No) 68154-99-4	0.1-1	Skin Irrit. 2, H315 Eye Dam. 1, H318

The exact percentage (concentration) of the composition and/or ingredients has been withheld as a trade secret, in accordance with 29 CFR § [1910.1200\(i\)](#).

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for several minutes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes serious eye damage. Skin irritation. Contact may cause immediate severe irritation progressing quickly to chemical burns.

**Inhalation:** None under normal and intended conditions of use.

**Skin Contact:** Causes severe irritation. Prolonged skin contact may result in severe irritation leading to chemical burns.

**Eye Contact:** Causes serious eye damage.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** Not available.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

# Wash It (AFCO 2548)

## Safety Data Sheet

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide, foam, dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Oxygen released during thermal decomposition may burst sealed containers and may support combustion of combustible materials such as paper, cloth, wood, etc. Damp product in contact with paper, wood, cloth etc. may cause spontaneous combustion of the organic material. Contact of product with flammables may cause fire or explosion.

**Explosion Hazard:** May cause fire; strong oxidizer.

**Reactivity:** Thermal decomposition generates oxygen which may cause or intensify fire.

#### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** May liberate toxic gases. Sodium oxides. Phosphorus oxides. Silicon oxides. Carbon oxides (CO, CO<sub>2</sub>).

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

#### Reference to Other Sections

Refer to section 9 for flammability properties.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not allow product to spread into the environment. Do NOT breathe (dust). Avoid all contact with skin, eyes, or clothing.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

#### Environmental Precautions

Prevent entry to sewers and public waters.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Sweep or vacuum the product to recover it. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Keep spilled product away from incompatible materials. Workers involved in clean-up should wear protective clothing and self-contained breathing apparatus. Sweep up and shovel into suitable containers such as plastic or fiber drums lined with clean dry plastic bags for disposal. Do not return to original container. Do not flush to open bodies of water such as streams, lakes or ponds. Flush spill area with large quantities of water.

#### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

### SECTION 7: HANDLING AND STORAGE

#### Precautions for Safe Handling

**Additional Hazards When Processed:** May cause or intensify fire; oxidizer.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

#### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions: KEEP PRODUCT DRY!** Keep container closed when not in use. Store in a cool, dry ventilated area in the original shipping container. Containers should be kept well sealed to avoid penetration of moisture or dirt. Keep away from direct sunlight and excessive heat (>54°C / >130°F).

# Wash It (AFCO 2548)

## Safety Data Sheet

**Incompatible Materials:** Strong acids. Strong bases. Organic materials. Combustible materials.

**Special Rules on Packaging:** Keep only in original container.

**Specific End Use(s):** An alkaline peroxide-based all-purpose C.I.P. cleaner and destainer for food processing equipment. For professional use only.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or any of its chemical components.

#### Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas. If user operations generate dust, fumes, vapors, gas, or spray use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or regulatory limits.

**Personal Protective Equipment:** Protective goggles. Gloves.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles.

**Skin and Body Protection:** None usually needed.

**Respiratory Protection:** A respirator is not needed under normal and intended conditions of use.

**Other Information:** When using, do not eat, drink or smoke.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: White powder
Odor	: Mild, low
Odor Threshold	: Not available
pH	: 11.4 (1%)
Relative Evaporation Rate (butylacetate=1)	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Specific Gravity	: Not available
Solubility	: Complete
Log Pow	: Not available
Log Kow	: Not available
Viscosity, Kinematic	: Not available
Viscosity, Dynamic	: Not available
Explosion Data – Sensitivity to Mechanical Impact	: Not available

# Wash It (AFCO 2548)

## Safety Data Sheet

Explosion Data – Sensitivity to Static Discharge : Not available

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** May cause or intensify fire; oxidizer.

**Chemical Stability:** Stable under normal conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Moisture. Excessive heat >54°C (>130°F). Direct sunlight.

**Incompatible Materials:** Acids, reducing agents, organic materials, flammable or combustible materials. Metallic ions (iron, copper, etc.) may cause catalytic decomposition.

**Hazardous Decomposition Products:** Oxygen. Carbon oxides (CO, CO<sub>2</sub>). Thermal decomposition generates: Toxic gases. Phosphorus oxides. Sodium oxides. Silicon oxides.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified.

**LD50 and LC50 Data:** Not available.

**Skin Corrosion/Irritation:** Causes skin irritation. (pH(1%): 11.4)

**Serious Eye Damage/Irritation:** Causes serious eye damage. (pH(1%): 11.4)

**Respiratory or Skin Sensitization:** Not classified.

**Germ Cell Mutagenicity:** Not classified.

**Teratogenicity:** Not available.

**Carcinogenicity:** Not classified.

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified.

**Reproductive Toxicity:** Not classified.

**Specific Target Organ Toxicity (Single Exposure):** Not classified.

**Aspiration Hazard:** Not classified.

**Symptoms/Injuries After Inhalation:** None under normal and intended conditions of use.

**Symptoms/Injuries After Skin Contact:** Causes severe irritation. Prolonged skin contact may result in severe irritation leading to chemical burns.

**Symptoms/Injuries After Eye Contact:** Causes serious eye damage.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

#### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

Pentasodium triphosphate (7758-29-4)	
LD50 Oral Rat	3100 mg/kg
LD50 Dermal Rabbit	>7940 mg/kg
Sodium metasilicate (6834-92-0)	
LD50 Oral Rat	600 mg/kg
Sodium carbonate (497-19-8)	
LD50 Oral Rat	4090 mg/kg
LC50 Inhalation Rat (mg/l)	2300 mg/m <sup>3</sup> (Exposure time: 2 h)
Sodium percarbonate (15630-89-4)	
LD50 Oral Rat	1034 mg/kg

### SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity

**Ecology** – Not established.

Sodium metasilicate (6834-92-0)	
LC50 Fish 1	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
LC50 Fish 2	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)

# Wash It (AFCO 2548)

## Safety Data Sheet

<b>Sodium carbonate (497-19-8)</b>	
LC50 Fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	310 - 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
<b>Sodium percarbonate (15630-89-4)</b>	
LC50 Fish 1	70.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	4.9 mg/l (Exposure time: 48 h - Species: Daphnia pulex)

### Persistence and Degradability

<b>Wash It (AFCO 2548)</b>	
Persistence and Degradability	May cause long-term adverse effects in the environment.

### Bioaccumulative Potential

<b>Wash It (AFCO 2548)</b>	
Bioaccumulative Potential	Not established.

<b>Sodium carbonate (497-19-8)</b>	
BCF fish 1	(no bioaccumulation)

<b>Sodium percarbonate (15630-89-4)</b>	
BCF fish 1	(no bioaccumulation)

**Mobility in Soil** Not available.

### Other Adverse Effects

**Other Information:** Not available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Ecology – Waste Materials:** Not established.

## **SECTION 14: TRANSPORT INFORMATION**

### **14.1 In Accordance with DOT**

**Proper Shipping Name** : OXIDIZING SOLID, CORROSIVE, N.O.S., (Sodium carbonate peroxyhydrate, sodium metasilicate)  
**Hazard Class** : 5.1  
**Identification Number** : UN3085  
**Label Codes** : 5.1, 8  
**Packing Group** : III  
**ERG Number** : 140



### **14.2 In Accordance with IMDG**

**Proper Shipping Name** : OXIDIZING SOLID, CORROSIVE, N.O.S., (Sodium carbonate peroxyhydrate, sodium metasilicate)  
**Hazard Class** : 5.1  
**Identification Number** : UN3085  
**Packing Group** : III  
**Label Codes** : 5.1, 8  
**EmS-No. (Fire)** : F-A  
**EmS-No. (Spillage)** : S-Q



### **14.3 In Accordance with IATA**

**Proper Shipping Name** : OXIDIZING SOLID, CORROSIVE, N.O.S., (Sodium carbonate peroxyhydrate, sodium metasilicate)  
**Packing Group** : III  
**Identification Number** : UN3085  
**Hazard Class** : 5  
**Label Codes** : 5.1, 8  
**ERG Code (IATA)** : 5L



### **14.4 In Accordance with TDG**

# Wash It (AFCO 2548)

## Safety Data Sheet

**Proper Shipping Name** : OXIDIZING SOLID, CORROSIVE, N.O.S., (Sodium carbonate peroxyhydrate, sodium metasilicate)  
**Packing Group** : III  
**Hazard Class** : 5.1  
**Identification Number** : UN3085  
**Label Codes** : 5.1, 8



**\*Note:** AF2548BAG (1 x 10 LBS) is allowed to ship as Limited Quantity.

### SECTION 15: REGULATORY INFORMATION

#### US Federal Regulations

<b>Wash It (AFCO 2548)</b>	
<b>SARA Section 311/312 Hazard Classes</b>	Immediate (acute) health hazard. Reactive hazard.
<b>Pentasodium triphosphate (7758-29-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Sodium metasilicate (6834-92-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Sodium carbonate (497-19-8)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Sodium percarbonate (15630-89-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether (68154-99-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	

#### US State Regulations

<b>Pentasodium triphosphate (7758-29-4)</b>	
U.S. - Louisiana - Reportable Quantity List for Pollutants U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	
<b>Sodium metasilicate (6834-92-0)</b>	
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	
<b>Sodium carbonate (497-19-8)</b>	
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	

#### Canadian Regulations

<b>Pentasodium triphosphate (7758-29-4)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
<b>Sodium metasilicate (6834-92-0)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
<b>Sodium carbonate (497-19-8)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
<b>Sodium percarbonate (15630-89-4)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
<b>Alcohols, C8-10, ethers with polyethylene-polypropylene glycol monobenzyl ether (68154-99-4)</b>	
Listed on the Canadian DSL (Domestic Substances List) inventory.	


# Wash It (AFCO 2548)

## Safety Data Sheet

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by those regulations.

### SECTION 16: OTHER INFORMATION

- Revision date** : 06/24/2026
- NFPA Health Hazard** : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
- NFPA Fire Hazard** : 1 - Must be preheated before ignition can occur.
- NFPA Reactivity** : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



### HMIS III Rating

- Health** : 3 Serious Hazard - Major injury likely unless prompt action is taken, and medical treatment is given.
- Flammability** : 1 - Slight Hazard.
- Physical** : 1 - Slight Hazard.

### Prepared by:

AFCO  
800 Development Avenue  
Chambersburg, PA 17201  
T: 800-345-1329

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America SDS GHS Rev. 7 (U.S., Can., Mex.)