



# Perafoam (AFCO 4390)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 01/20/2025

Version: 1.3

## SECTION 1: IDENTIFICATION

### Product Identifier

**Product Form:** Mixture

**Product Name:** Perafoam

**Product Code:** AFCO 4390

### Intended Use of the Product

**Use of the Substance/Mixture:** High foaming additive that may be used in conjunction with Per-Ox (AFCO 4325) for foam cleaning. For professional use only.

**Product Dilution Information:** 1-3 oz./gallon

### Name, Address, and Telephone of the Responsible Party

#### **Company**

AFCO

800 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

[www.afcocare.com](http://www.afcocare.com)

#### Emergency Telephone Number

**Emergency Number** : 1-800-424-9300 (CHEMTREC)

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

**Classification (GHS-US)**

#### **PRODUCT as SOLD**

Skin Irrit. 2 H315

Eye Dam. 1 H318

Aquatic Acute 3 H402

#### **PRODUCT at USE DILUTION:**

Not a hazardous mixture.

### Label Elements

#### **GHS-US Labeling**

#### **PRODUCT as SOLD**

**Hazard Pictograms (GHS-US)** :



GHS07

**Signal Word (GHS-US)** :

Warning

**Hazard Statements (GHS-US)** :

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H402 - Harmful to aquatic life

**Precautionary Statements (GHS-US)** :

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P321 - Specific treatment (see section 4).  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P362 - Take off contaminated clothing and wash before reuse.

# Perafoam (AFCO 4390)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

### **PRODUCT at USE DILUTION**

#### **Hazard Statements (GHS-US)**

None.

#### **Precautionary Statements (GHS-US)**

P280 - Wear eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### **Other Hazards**

**Other Hazards Not Contributing to the Classification:** Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes.

**Unknown Acute Toxicity (GHS-US):** Not available.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**Substances:** Not available, product is a mixture.

### **Mixture:**

#### **PRODUCT as SOLD**

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	60 - 100	Not classified
Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts	(CAS No) 68585-34-2	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2B, H320
Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	(CAS No) 68585-47-7	5 - 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Pentasodium triphosphate	(CAS No) 7758-29-4	1 - 5	Not classified
Lauryldimethylamine oxide	(CAS No) 1643-20-5	1 - 5	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400
Sodium xylene sulfonate	(CAS No) 1300-72-7	0.5 - 1.5	Eye Irrit. 2A, H319
Octanoic acid	(CAS No) 124-07-2	0.5 - 1.5	Skin Corr. 1B, H314
Citric acid	(CAS No) 77-92-9	0.1 - 1	Comb. Dust, H232 Eye Irrit. 2A, H319

### **PRODUCT at USE DILUTION**

No hazardous ingredients.

Exact percentage composition of substances and/or ingredients may be withheld as a trade secret, in accordance with [29 CFR § 1910.1200 App E].

Full text of H-phrases: see section 16.

## **SECTION 4: FIRST AID MEASURES**

### **Description of First Aid Measures**

#### **(PRODUCT as SOLD)**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### **PRODUCT at USE DILUTION**

# Perafoam (AFCO 4390)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Inhalation:** Remove to fresh air.

**Skin Contact:** Rinse with plenty of water.

**Eye Contact:** Rinse with plenty of water.

**Ingestion:** Rinse mouth. Get medical attention if symptoms occur.

### **Most Important Symptoms and Effects Both Acute and Delayed**

**General:** Causes serious eye damage. Causes skin irritation.

**Inhalation:** None under normal and intended conditions of use.

**Skin Contact:** Causes skin irritation.

**Eye Contact:** Causes serious eye damage.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** Not available.

### **Indication of Any Immediate Medical Attention and Special Treatment Needed**

If exposed or concerned, get medical advice and attention.

## **SECTION 5: FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide, foam, dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### **Special Hazards Arising From the Substance or Mixture**

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** When heated to decomposition, emits toxic fumes.

### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Sulfur oxides. Phosphorus oxides. Carbon oxides (CO, CO<sub>2</sub>). Sodium oxides.

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

### **Reference to Other Sections**

Refer to section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Do not allow product to spread into the environment. Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapors, mist, spray).

#### **For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

### **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

### **Methods and Material for Containment and Cleaning Up**

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Absorb and/or contain spill with inert material, then place in suitable container.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Do not take up in combustible material such as: saw dust or cellulosic material. Contact competent authorities after a spill.

### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Additional Hazards When Processed:** When heated to decomposition, emits toxic fumes.

# Perafoam (AFCO 4390)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Always wash your hands immediately after handling this product, and once again before leaving the workplace.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a well-ventilated place. Keep container tightly closed. Keep/Store away from extremely high or low temperatures, incompatible materials.

**Incompatible Materials:** Strong oxidizers.

### **Specific End Use(s)**

High foaming additive for use with Per-Ox (AFCO 4325) for foam cleaning. For professional use only.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

No occupational exposure limits (OEL) have been established for this product or its chemical components.

### **Exposure Controls**

#### **(PRODUCT as SOLD)**

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Ensure adequate ventilation, especially in confined areas. If user operations generate fumes, vapor, spray, or mist use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Personal Protective Equipment:** Protective clothing. Protective goggles. Gloves.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or face shield.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** A respirator is not needed under normal and intended conditions of product use.

**Thermal Hazard Protection:** Wear suitable protective clothing.

**Other Information:** When using, do not eat, drink or smoke.

### **PRODUCT at USE DILUTION**

**Appropriate Engineering Controls:** None.

**Personal Protective Equipment:** Safety goggles.



**Materials for Protective Clothing:** No special protective equipment required.

**Hand Protection:** No special protective equipment required.

**Eye Protection:** Safety goggles.

**Skin and Body Protection:** No special protective equipment required.

**Respiratory Protection:** No special protective equipment required.

**Thermal Hazard Protection:** No special protective equipment required

**Other Information:** When using, do not eat, drink or smoke.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **Information on Basic Physical and Chemical Properties**

**Physical State** : Liquid

# Perafoam (AFCO 4390)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Appearance</b>	: Clear to slightly hazy
<b>Odor</b>	: Low, soap
<b>Odor Threshold</b>	: Not available
<b>pH</b>	: 6 – 8
<b>Relative Evaporation Rate (butylacetate=1)</b>	: Not available
<b>Melting Point</b>	: Not available
<b>Freezing Point</b>	: Not available
<b>Boiling Point</b>	: 101.1°C (213.9°F)
<b>Flash Point</b>	: None
<b>Auto-ignition Temperature</b>	: None
<b>Decomposition Temperature</b>	: Not available
<b>Flammability (solid, gas)</b>	: Not available
<b>Lower Flammable Limit</b>	: Not available
<b>Upper Flammable Limit</b>	: Not available
<b>Vapor Pressure</b>	: Not available
<b>Relative Vapor Density at 20°C</b>	: Not available
<b>Specific Gravity</b>	: 1.05
<b>Solubility</b>	: Complete.
<b>Partition coefficient: n-octanol/water</b>	: Not available
<b>Viscosity</b>	: Not available
<b>Explosion Data – Sensitivity to Mechanical Impact</b>	: Not expected to present an explosion hazard due to mechanical impact.
<b>Explosion Data – Sensitivity to Static Discharge</b>	: Not expected to present an explosion hazard due to static discharge.

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** When heated to decomposition, emits toxic fumes.

**Chemical Stability:** Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Extremely high or low temperatures. Incompatible materials.

**Incompatible Materials:** Strong oxidizers.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Thermal decomposition generates: Toxic gases. Phosphorus oxides. Sodium oxides. Sulfur oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects – PRODUCT as SOLD

**Acute Toxicity:** Not classified.

**LD50 and LC50 Data:** Not available.

**Skin Corrosion/Irritation:** Causes skin irritation. (pH: 6 – 8)

**Serious Eye Damage/Irritation:** Causes serious eye damage. (pH: 6 – 8)

**Respiratory or Skin Sensitization:** Not classified.

**Germ Cell Mutagenicity:** Not classified.

**Teratogenicity:** Not available.

**Carcinogenicity:** Not classified.

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified.

**Reproductive Toxicity:** Not classified.

**Specific Target Organ Toxicity (Single Exposure):** Not classified.

**Aspiration Hazard:** Not classified.

**Potential Adverse Human Health Effects and Symptoms:** Harmful if inhaled. Harmful if swallowed.

**Symptoms/Injuries After Inhalation:** None under normal and intended conditions of use.

**Symptoms/Injuries After Skin Contact:** Causes skin irritation.

**Symptoms/Injuries After Eye Contact:** Causes serious eye damage.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

# Perafoam (AFCO 4390)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

<b>Water (7732-18-5)</b>	
LD50 Oral Rat	>90000 mg/kg
<b>Pentasodium triphosphate (7758-29-4)</b>	
LD50 Oral Rat	3100 mg/kg
LD50 Dermal Rabbit	>7940 mg/kg
<b>Sodium xylene sulfonate (1300-72-7)</b>	
LD50 Oral Rat	1000 mg/kg
<b>Sulfuric acid, mono-C10-16-alkyl esters, sodium salts (68585-47-7)</b>	
LD50 Oral Rat	>2000 mg/kg
<b>Citric acid (77-92-9)</b>	
LD50 Oral Rat	5400 mg/kg
LD50 Dermal Rat	>2000 mg/kg
<b>Octanoic acid (124-07-2)</b>	
LD50 Dermal Rabbit	5 g/kg

### SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity (PRODUCT AS SOLD)

Ecology - General: Harmful to aquatic life.

<b>Lauryldimethylamine oxide (1643-20-5)</b>	
ErC50 (algae)	0.11 mg/l (72 hour)
<b>Citric acid (77-92-9)</b>	
LC50 Fish 1	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
<b>Octanoic acid (124-07-2)</b>	
LC50 Fish 1	310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])
LC50 Fish 2	110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])

#### Persistence and Degradability

<b>Citric acid (77-92-9)</b>	
Persistence and Degradability	Readily biodegradable in water.

#### Bioaccumulative Potential

<b>Perafoam (AFCO 4390)</b>	
Bioaccumulative Potential	Not established.
<b>Citric acid (77-92-9)</b>	
Log Pow	-1.72 (at 20°C)
<b>Octanoic acid (124-07-2)</b>	
Log Pow	2.92

**Mobility in Soil** Not available.

#### Other Adverse Effects

**Other Information:** Avoid release to the environment.

### SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Ecology – Waste Materials:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

### SECTION 14: TRANSPORT INFORMATION

<b>14.1 In Accordance with DOT</b>	:	Not regulated for transport.
<b>14.2 In Accordance with IMDG</b>	:	Not regulated for transport.
<b>14.3 In Accordance with IATA</b>	:	Not regulated for transport.

# Perafoam (AFCO 4390)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**14.4 In Accordance with TDG** : Not regulated for transport.

### SECTION 15: REGULATORY INFORMATION

#### US Federal Regulations

<b>Perafoam (AFCO 4390)</b>	
<b>SARA Section 311/312 Hazard Classes</b>	Immediate (acute) health hazard.
<b>Water (7732-18-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Pentasodium triphosphate (7758-29-4)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Sodium xylene sulfonate (1300-72-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Sulfuric acid, mono-C10-16-alkyl esters, sodium salts (68585-47-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Lauryldimethylamine oxide (1643-20-5)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Citric acid (77-92-9)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
<b>Octanoic acid (124-07-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	

#### US State Regulations

<b>Pentasodium triphosphate (7758-29-4)</b>	
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	
<b>Sodium xylene sulfonate (1300-72-7)</b>	
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	
<b>Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)</b>	
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	
<b>Sulfuric acid, mono-C10-16-alkyl esters, sodium salts (68585-47-7)</b>	
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	
<b>Lauryldimethylamine oxide (1643-20-5)</b>	
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	
<b>Citric acid (77-92-9)</b>	
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	
<b>Octanoic acid (124-07-2)</b>	
U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term	

# Perafoam (AFCO 4390)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Canadian Regulations

**Water (7732-18-5)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

**Pentasodium triphosphate (7758-29-4)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

**Sodium xylene sulfonate (1300-72-7)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

**Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C10-16-alkyl ethers, sodium salts (68585-34-2)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

**Sulfuric acid, mono-C10-16-alkyl esters, sodium salts (68585-47-7)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

**Lauryldimethylamine oxide (1643-20-5)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

**Citric acid (77-92-9)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

**Octanoic acid (124-07-2)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by those regulations.

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision date** : 01/20/2025

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.


#### GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
H232	May form combustible dust concentrations in air
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H400	Very toxic to aquatic life

**NFPA Health Hazard** : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

**NFPA Fire Hazard** : 0 - Materials that will not burn.

**NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



# Perafoam (AFCO 4390)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

### HMIS III Rating

**Health** : 1 Slight Hazard - Irritation or minor reversible injury possible.  
**Flammability** : 0 - Minimal Hazard.  
**Physical** : 0 - Minimal Hazard.

### Party Responsible for the Preparation of This Document

AFCO  
800 Development Avenue  
Chambersburg, PA 17201  
T: 800-345-1329

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America GHS SDS 2015 (U.S., Can., Mex.)