

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 08/28/2024

Version: 1.2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

**Product Identifier Product Form:** Mixture Product Name: HD Detergent Product Code: AFCO 5246 **Intended Use of the Product** 

Use of the Substance/Mixture: Moderately alkaline general-purpose cleaner for use on food processing equipment or as a floor

cleaner / wax stripper. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company **AFCO** 

550 Development Avenue Chambersburg, PA 17201

T: 800-345-1329 www.afcocare.com

**Emergency Telephone Number** 

Emergency Number : 1-800-424-9300 (CHEMTREC)

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### **Classification of the Substance or Mixture**

Classification (GHS-US)

Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 3 H402

**Label Elements GHS-US Labeling** 

**Hazard Pictograms (GHS-US)** 



Signal Word (GHS-US) : Danger

**Hazard Statements (GHS-US)** : H314 - Causes severe skin burns and eye damage

> H318 - Causes serious eye damage H402 - Harmful to aquatic life

**Precautionary Statements (GHS-US)**: P234 - Keep only in original container.

P260 - Do not breathe vapors, mist, spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P321 - Specific treatment (see section 4).

P363 - Wash contaminated clothing before reuse. P390 - Absorb spillage to prevent material damage.

P405 - Store locked up.

EN (English US) 08/28/2024 1/10

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

#### **Other Hazards**

**Other Hazards Not Contributing to the Classification**: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes.

Unknown Acute Toxicity (GHS-US) Not available.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Substances**

#### **Mixture**

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	70-90	Not classified
2-Methoxymethylethoxy propanol	(CAS No) 34590-94-8	5-10	Flam. Liq. 4, H227
Ethanolamine	(CAS No) 141-43-5	5-10	Flam. Liq. 4, H227
			Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Dermal), H312
			Acute Tox. 4 (Inhalation: vapour), H332
			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			STOT SE 3, H335
			Aquatic Acute 2, H401
			Aquatic Chronic 3, H412
Benzenesulfonic acid, C10-16-alkyl	(CAS No) 68081-81-2	1-5	Acute Tox. 4 (Oral), H302
derivatives, sodium salts			Skin Irrit. 2, H315
			Eye Dam. 1, H318
			STOT SE 3, H335
Nonylphenol ethoxylates	(CAS No) 9016-45-9	1-5	Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			Aquatic Chronic 2, H411
Sodium xylene sulfonate	(CAS No) 1300-72-7	0.1-1	Eye Irrit. 2A, H319
Tetrapotassium Pyrophosphate	(CAS No) 7320-34-5	0.1-1	Eye Irrit. 2A, H319

Full text of H-phrases: see section 16.

### **SECTION 4: FIRST AID MEASURES**

#### **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes severe skin burns and eye damage. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

Inhalation: Inhalation may cause irritation.

Skin Contact: Contact may cause immediate severe irritation progressing quickly to chemical burns.

Eye Contact: Causes serious eye damage.

08/28/2024 EN (English US) 2/10

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Ingestion:** Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe irritation progressing

quickly to chemical burns.

Chronic Symptoms: Not available.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### **Extinguishing Media**

Suitable Extinguishing Media: Water spray, fog, carbon dioxide, foam, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

**Reactivity:** Thermal decomposition generates: Corrosive vapors. Toxic gas.

#### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products**: Phosphorous oxide. Carbon oxides (CO, CO<sub>2</sub>). Corrosive vapors. Potassium oxides. Nitrogen oxides.

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

**Reference to Other Sections** 

Refer to section 9 for flammability properties.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapors, mist, spray).

#### For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

**For Emergency Personnel** 

**Protective Equipment:** Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

#### **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Absorb and/or contain spill with inert material, then place in suitable container. Cautiously neutralize spilled liquid.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material, then place in suitable container. Cautiously neutralize spilled liquid. Do not take up in combustible material such as: saw dust or cellulosic material.

#### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

#### **SECTION 7: HANDLING AND STORAGE**

## **Precautions for Safe Handling**

**Additional Hazards When Processed:** Contact with soft metals may evolve flammable hydrogen gas. When heated to decomposition, emits toxic fumes.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Wash contaminated clothing before reuse.

#### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

08/28/2024 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, incompatible materials.

**Incompatible Materials:** Strong acids. Strong oxidizers.

**Specific End Use(s)**: Moderately alkaline general-purpose cleaner for use on food processing equipment or as a floor cleaner/wax stripper. For professional use only.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Control ratalitectes		
Ethanolamine (141-43-5)		
Mexico	OEL TWA (mg/m³)	8 mg/m <sup>3</sup>
Mexico	OEL TWA (ppm)	3 ppm
Mexico	OEL STEL (mg/m³)	15 mg/m³
Mexico	OEL STEL (ppm)	6 ppm
USA ACGIH	ACGIH TWA (ppm)	3 ppm
USA ACGIH	ACGIH STEL (ppm)	6 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	3 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	8 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (ppm)	3 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	15 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	6 ppm
USA IDLH	US IDLH (ppm)	30 ppm
Ontario	OEL STEL (ppm)	6 ppm
Ontario	OEL TWA (ppm)	3 ppm
Québec	VECD (mg/m³)	15 mg/m <sup>3</sup>
Québec	VECD (ppm)	6 ppm
Québec	VEMP (mg/m³)	7.5 mg/m <sup>3</sup>
Québec	VEMP (ppm)	3 ppm
Tetrapotassium Pyrophosphate (7320-34-5)		
USA ACGIH	ACGIH TLV (mg/m³)	10 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m <sup>3</sup>
2-Methoxymethylethoxy propanol (34590-95-8)		
USA ACGIH	ACGIH TLV ( TWA )(ppm)	100 ppm
USA ACGIH	ACGIH TLV (STEL) (ppm)	150 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	100 ppm

### **Exposure Controls**

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined area. If user operations generate fumes, vapors, gas, or spray use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or regulatory limits.

Personal Protective Equipment: Protective goggles. Face shield. Protective clothing. Gloves.









Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or face shield.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** A respirator is not needed under normal and intended conditions of product use. Whenever worker exposure may exceed established regulatory exposure limits, use a NIOSH-approved respirator.

08/28/2024 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information: When using, do not eat, drink or smoke.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### **Information on Basic Physical and Chemical Properties**

Physical State: LiquidAppearance: Clear blueOdor: Mild

Odor Threshold : Not available

**pH** : 12.5

Relative Evaporation Rate (butylacetate=1): Not availableMelting Point: Not availableFreezing Point: Not availableBoiling Point: 100°C (212°F)

Flash Point : None
Auto-ignition Temperature : None

Decomposition Temperature: Not availableFlammability (solid, gas): Not flammableLower Flammable Limit: Not availableUpper Flammable Limit: Not availableVapor Pressure: Not availableRelative Vapor Density at 20°C: Not available

**Specific Gravity** 1.04 Solubility Complete. Log Pow Not available Log Kow Not available Viscosity, Kinematic Not available Viscosity, Dynamic Not available Explosion Data – Sensitivity to Mechanical Impact : Not available Explosion Data - Sensitivity to Static Discharge Not available

## **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Thermal decomposition generates: Corrosive vapors. **Chemical Stability:** Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur. **Conditions to Avoid:** Extremely low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong oxidizers.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Thermal decomposition generates: Potassium oxides. Phosphorus oxides. Nitrogen oxides. Sodium oxides.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### <u>Information on Toxicological Effects - Product</u>

Acute Toxicity: Not classified. LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Causes skin burns. pH: 12.5

Serious Eye Damage/Irritation: Causes serious eye damage. pH: 12.5

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

**Teratogenicity:** Not available. **Carcinogenicity:** Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

08/28/2024 EN (English US) 5/10

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: Inhalation may cause irritation.

Symptoms/Injuries After Skin Contact: Contact may cause immediate severe irritation progressing quickly to chemical burns.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe irritation progressing quickly to chemical burns.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Water (7732-18-5)		
LD50 Oral Rat	>90000 mg/kg	
Nonylphenol ethoxylates (9016-45-9)		
LD50 Oral Rat	2590 mg/kg	
LD50 Dermal Rabbit	1780 μl/kg	
ATE (dermal)	2000.000 mg/kg body weight	
Ethanolamine (141-43-5)		
LD50 Oral Rat	1720 mg/kg	
LD50 Dermal Rabbit	1 ml/kg	
Tetrapotassium Pyrophosphate (7320-34-5)		
LC50 Inhalation Rat	>1.1 mg/L	
LD50 Dermal Rabbit	>2000 mg/kg body weight	
LD50 Ingestion	>2000 mg/kg body weight	
Sodium xylene sulfonate (1300-72-7)		
LD50 Oral Rat	1000 mg/kg	
2-Methoxymethylethoxy propanol (34590-95-8)		
LD50 Oral Rat	5152 mg/kg	

## **SECTION 12: ECOLOGICAL INFORMATION**

### **Toxicity**

Ecology - General: Harmful to aquatic life.

HD Detergent (AFCO 5246)		
LC50 Fish 1	110 mg/l (Exposure time: 48 h - Species: Fathead minnow	
2-Methoxymethylethoxy propanol (34590-95-8)		
LC50 Fish 1	>10,000 mg/l (Exposure time: 96h: -Species: Pimephales promelas (fathead minnow)	
EC50 Daphnia 1	1919 mg/l (Exposure time: 48h: -Species : Daphnia magna (water flea)	
Ethanolamine (141-43-5)		
LC50 Fish 1	227 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
EC50 Daphnia 1	65 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 Other Aquatic Organisms 1	15 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)	
LC 50 Fish 2	3684 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
Tetrapotassium pyrophosphate (7320	0-34-5)	
LC50 Fish 1	>100 mg/l (Exposure time: 96 h - Species: Rainbow Trout)	
EC50 Daphnia 1	>100 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50	>100mg/L (Exposure time: 72 h – Species: Aquatic Plants)	
NOEC	>100mg/L (Exposure time: 72h – Species: Aquatic plants)	

### **Persistence and Degradability**

HD Detergent (AFCO 5246)	
Persistence and Degradability	Not established.

08/28/2024 EN (English US) 6/10

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Bioaccumulative Potential**

HD Detergent (AFCO 5246)	
Bioaccumulative Potential	Not established.
Ethanolamine (141-43-5)	
Log Pow	-1.91 (at 25°C)

#### Mobility in Soil Not available.

### **Other Adverse Effects**

Other Information: Avoid release to the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 In Accordance with DOT

Proper Shipping Name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Ethanolamine)

Hazard Class : 8
Identification Number : UN3267

Label Codes : 8
Packing Group : III
ERG Number : 153

14.2 In Accordance with IMDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Ethanolamine)

Hazard Class : 8
Identification Number : UN3267

Packing Group : III
Label Codes : 8
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B

14.3 In Accordance with IATA

Proper Shipping Name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S (Ethanolamine)

Packing Group : III
Identification Number : UN3267
Hazard Class : 8
Label Codes : 8
ERG Code (IATA) : 8L

201

14.4 In Accordance with TDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Ethanolamine)

Packing Group : III
Hazard Class : 8
Identification Number : UN3267
Label Codes : 8



### **SECTION 15: REGULATORY INFORMATION**

#### **US Federal Regulations**

HD Detergent (AFCO 5246)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard.

## Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

08/28/2024 EN (English US) 7/10

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Tetrapotassium pyrophosphates (7320-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

#### Nonylphenol ethoxylates (9016-45-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

#### Ethanolamine (141-43-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

#### Benzenesulfonic acid, C10-16-alkyl derivatives, sodium salts (68081-81-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

#### Sodium xylene sulfonate (1300-72-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

#### 2-Methoxymethylethoxy propanol (34590-95-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

#### **US State Regulations**

#### Nonylphenol ethoxylates (9016-45-9)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Ethanolamine (141-43-5)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Benzenesulfonic acid, C10-16-alkyl derivatives, sodium salts (68081-81-2)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

## Sodium xylene sulfonate (1300-72-7)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

## 2-Methoxymethylethoxy propanol (34590-95-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### **Canadian Regulations**

#### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

## Nonylphenol ethoxylates (9016-45-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

## Ethanolamine (141-43-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Tetrapotassium pyrophosphate (7320-34-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Benzenesulfonic acid, C10-16-alkyl derivatives, sodium salts (68081-81-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

08/28/2024 EN (English US) 8/10

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Sodium xylene sulfonate (1300-72-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### 2-Methoxymethylethoxy propanol (34590-95-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

### **SECTION 16: OTHER INFORMATION**

**Revision date** : 08/28/2024

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation: vapour)	Acute toxicity (inhalation: vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

NFPA Health Hazard : 2 - Intense or continued exposure could cause temporary

incapacitation or possible residual injury unless prompt

0

medical attention is given.

NFPA Fire Hazard : 0 - Materials that will not burn.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.

**HMIS III Rating** 

**Health** : 2 Moderate Hazard - Temporary or minor injury may occur.

**Flammability** : 0 - Minimal Hazard. **Physical** : 0 - Minimal Hazard.

08/28/2024 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Party Responsible for the Preparation of This Document

AFCO 550 Development Avenue Chambersburg, PA 17201 T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex)

08/28/2024 EN (English US) 10/10