

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 10/13/2023

SECTION 1: IDENTIFICATION

<u>Product Identifier</u> <u>Product Form: Mixture</u>

Product Name: Guard Trolley Oil FLC-30

Product Code: AFCO 8091 Intended Use of the Product

Use of the Substance/Mixture: Lubricant, rust preventative for use in food processing plants. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company AFCO

800 Development Avenue Chambersburg, PA 17201

T: 800-345-1329 www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)
Asp. Haz. 1 H304

Label Elements
GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Danger.

Hazard Statements (GHS-US) : H304 - May be fatal if swallowed and enters airways

Precautionary Statements (GHS-US): P301+P310 - IF SWALLOWED: Immediately call POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting.

Other Hazards

Other Hazards Not Contributing to the Classification: Exposure may aggravate those with pre-existing eye, skin, or respiratory

Unknown Acute Toxicity (GHS-US): Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
White mineral oil	(CAS No) 8042-47-5	80 - 100	Asp. Haz. 1, H304
Oleic acid	(CAS No) 112-80-1	1-5	Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
			STOT SE 3, H335

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

10/13/2023 EN (English US) 1/6

Version: 1.3

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Contact: Remove contaminated clothing. Drench affected area with water for several minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Aspiration hazard if swallowed. Can enter lungs and cause damage. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: May cause slight eye irritation, defatting of skin, and slight respiratory irritation.

Inhalation: High vapor concentration may induce headache, nausea, dizziness, and respiratory irritation.

Skin Contact: Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

Eye Contact: May causes slight eye irritation.

Ingestion: May be fatal if swallowed and enters airways

Chronic Symptoms: Not available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water fog, dry chemical carbon dioxide, foam or inert gas. Agents approved for Class B hazards. **Unsuitable Extinguishing Media:** Do not use a direct stream of water. Use of a direct stream of water may cause the material to float and reginite.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: When heated above its flash point temperature, this material will release flammable vapors which if exposed to an ignition source, can burn in the open. Mists and sprays may be flammable at temperatures below the flash point.

Explosion Hazard: May be explosive if heated above flash point, and exposed to ignition source in a confined space.

Reactivity: When heated to decomposition, emits toxic fumes.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂), unidentified organic compounds. **Other information**: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections: Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Keep away from heat/open flames/hot surfaces.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: None. **Environmental Precautions**

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Absorb spill with inert materials such as sand, earth, clay, etc. and in place in container for proper disposal.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Contact competent authorities after a spill.

Reference to Other Sections: See heading 8, Exposure Controls and Personal Protection.

10/13/2023 EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes. Keep away from heat/open flames/hot surfaces.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high temperatures, open flames, heat, ignition sources, incompatible materials.

Incompatible Materials: Strong oxidizers.

Special Rules on Packaging: Keep only in original container.

Specific End Use(s): Lubricant, rust preventative for use in food processing plants. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation in confined areas.





Materials for Protective Clothing: None usually needed. Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical or safety goggles Skin and Body Protection: None usually needed.

Respiratory Protection: None usually needed under normal and intended conditions of use.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid

Colorless to pale amber, oily **Appearance**

Odor Slight

Odor Threshold Not available Not applicable рΗ Relative Evaporation Rate (butylacetate=1) Not available **Melting Point** -7°C (20°F) **Freezing Point** Not available **Boiling Point** Not available

Flash Point 192°C; 378°F (Cleveland Open Cup)

Auto-ignition Temperature Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** <0.1 mm Hg @25°C

Relative Vapor Density at 20°C >1

Specific Gravity 0.845 - 0.883

10/13/2023 EN (English US) 3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility : Negligible

Partition coefficient: n-octanol/water : Not available

Viscosity : 15 cSt at 40°C

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact.

Explosion Data – Sensitivity to Static Discharge : Static discharge may present an explosion hazard.

%VOC : 0.0

SECTION 10: STABILITY AND REACTIVITY

Reactivity: When heated to decomposition, emits toxic fumes.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur. **Conditions to Avoid:** Excessive heat, open flames, incompatible materials.

Incompatible Materials: Strong oxidizers.

Hazardous Decomposition Products: Burning or excessive heating may produce smoke, carbon monoxide, carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

<u>Information on Toxicological Effects - Product</u>

Acute Toxicity: Not classified.

LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Not classified. (pH: N/A.)

Serious Eye Damage/Irritation: May cause slight eye irritation. (pH: N/A.)

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

Teratogenicity: Not available. **Carcinogenicity:** Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified. **Aspiration Hazard:** May be fatal if swallowed and enters airways.

Symptoms/Injuries After Inhalation: High vapor concentration may induce headache, nausea, dizziness, and respiratory irritation.

Symptoms/Injuries After Skin Contact: Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

Symptoms/Injuries After Eye Contact: May cause slight eye irritation.

Symptoms/Injuries After Ingestion: May be fatal if swallowed and enters airways.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

White mineral oil (8042-47-5)	
LD50 Oral Rat	>5000 mg/kg
LD50 Dermal Rabbit	>2000 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - Not available.

Oleic acid (112-80-1)		
	LC50 Fish 1	205 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

Persistence and Degradability: Not available.

Bioaccumulative Potential

Guard Trolley Oil FLC-30 (AFCO 8091)	
Bioaccumulative Potential	Not established.

Mobility in Soil: Not available.

Other Adverse Effects

Other Information: Not available.

10/13/2023 EN (English US) 4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology - Waste Materials: Not available.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT:Not regulated for transport.14.2 In Accordance with IMDG:Not regulated for transport.14.3 In Accordance with IATA:Not regulated for transport.14.4 In Accordance with TDG:Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Guard Trolley Oil FLC-30 (AFCO 8091)	
SARA Section 311/312 Hazard Classes	N/A.

White mineral oil (8042-47-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

Oleic acid (112-80-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

US State Regulations

White mineral oil (8042-47-5)

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List.

Oleic acid (112-80-1)

RTK - U.S. - Pennsylvania - RTK (Right to Know) List.

U.S. - Texas - Effects Screening Levels - Long Term.

U.S. - Texas - Effects Screening Levels - Short Term.

Canadian Regulations

White mineral oil (8042-47-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Oleic acid (112-80-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 10/13/2023

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Eye Irrit 2A	Serious eye damage/eye irritation Category 2A.
Skin Irrit. 2	Skin corrosion/irritation Category 2.
STOT SE 3	Specific target organ toxicity (single exposure) Category 3.
Aspir. 1	Aspiration hazard Category 1
H304	May be fatal if swallowed and enter airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

NFPA Health Hazard : 0 - Exposure under fire conditions would offer no hazard

beyond that of ordinary combustible materials.

NFPA Fire Hazard : 1 - Must be preheated before ignition can occur.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.

10/13/2023 EN (English US) 5/6



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health: 0 - Minimal Hazard.Flammability: 1 - Slight Hazard.Physical: 0 - Minimal Hazard.

Party Responsible for the Preparation of This Document

AFCO

800 Development Avenue Chambersburg, PA 17201

T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)

10/13/2023 EN (English US) 6/6